

Index

American Journal of Audiology: A Journal of Clinical Practice Index to Volume 10, 2001

Author Index	113
Subject Index	113
Title Index	114
Department Index	114

Author Index

- Ashmead, D. H., see Tharpe & Ashmead, 10(2), 104-112
- Bamford, J. M. see Mencher et al, 10(1), 3-12
- Beresford, D. see Mencher et al, 10(1), 3-12
- Bess, F. H. see Tharpe et al, 10(1), 32-40
- Burkard, R. F. & Sims, D. The human auditory brainstem response to high click rates: Aging effects, 10(2), 53-61
- Cox, R. M. & Gray, G. A. Verifying loudness perception after hearing aid fitting, 10(2), 91-98
- Cunningham, D. R., Williams, K. J. & Goldsmith, L. J. Effects of providing and withholding postfitting fine-tuning adjustments on outcome measures in novice hearing aid users: A pilot study, 10(1), 13-23
- Davis, A. C. see Mencher et al., 10(1), 3-12
- DeVoe, S. J. see Mencher et al, 10(1), 3-12
- Erlar, S. F. see Garstecki & Erlar, 10(2), 78-90
- Fino-Szumski, M. S. see Tharpe et al, 10(1), 32-40
- Garstecki, D. C. & Erlar, S. F. Personal and social conditions potentially influencing women's hearing loss management, 10(2), 78-90
- Goldsmith, L. J. see Cunningham, et al, 10(1), 13-23
- Gravel, J. S. see Yoshinaga-Itano & Gravel, 10(2), 62-64
- Gray, G. A. see Cox & Gray, 10(2), 91-98
- Harrison, M. see Sjoblad et al, 10(1), 24-31
- Huta, H. M. see Tharpe, et al, 10(1), 41-49
- Jacobson, G. P. Editorial, 10(1), 2; 10(2)52
- Jupiter, T. & Palagonia, C. L. The Hearing Handicap Inventory for the Elderly screening version adapted for use with elderly Chinese American individuals, 10(2), 99-103
- Kileny, P. R. & Lesperance, M. M. Evidence in support of a different model of universal newborn hearing loss identification, 10(2), 65-67
- Lesperance, M. M. see Kileny & Lesperance, 10(2), 65-67

- McWilliam, R. A. see Sjoblad et al, 10(1), 24-31
- Mencher, G. T., Davis, A. C., DeVoe, S. J., Beresford, D. & Bamford, J. M. Universal neonatal hearing screening: Past, present and future, 3-12, 10(1)
- Møller, A. R. Neurophysiologic basis for cochlear and auditory brainstem implants, 10(2), 68-77
- Palagonia, C. L. see Jupiter & Palagonia, 10(2), 99-103
- Rothpletz, A. M. see Tharpe, et al, 10(1), 41-49
- Roush, J. see Sjoblad et al, 10(1), 24-31
- Sims, D. see Burkard & Sims, 10(2), 53-61
- Sjoblad, S., Harrison, M., Roush, J. & McWilliam, R. A. Parents' reactions and recommendations after diagnosis and hearing aid fitting, 10(1), 24-31
- Sladen, D. see Tharpe et al, 10(1), 41-49
- Tharpe, A. M. & Ashmead, D. H. A longitudinal investigation of infant auditory sensitivity, 10(2), 104-112
- Tharpe, A. M., Fino-Szumski, M. S. & Bess, F. H. Survey of hearing aid fitting practices for children with multiple impairments, 10(1), 32-40
- Tharpe, A. M., Sladen, D., Huda, H. M. & Rothpletz, A. M. Practical considerations of real-ear-to-coupler difference measures in infants, 10(1), 41-49
- Williams, K. J. see Cunningham, et al, 10(1), 13-23
- Yoshinaga-Itano, C. & Gravel, J. S. The evidence for universal newborn hearing screening, 10(2), 62-64

- A. C., DeVoe, S. J. Beresford, D. & Bamford, J. M., 3-12, 10 (1)

Behavioral

- A longitudinal investigation of infant auditory sensitivity, 10(2), 104-112
- Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, S. J. Beresford, D. & Bamford, J. M., 3-12, 10 (1)

Electrophysiologic

- The human auditory brainstem response to high click rates: Aging effects. Burkard, R. F. & Sims, D., 10(2), 53-61

Pediatric

- A longitudinal investigation of infant auditory sensitivity, 10(2), 104-112
- Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, S. J. Beresford, D. & Bamford, J. M., 3-12, 10 (1)

Screening

- The evidence for universal newborn hearing screening. Yoshinaga-Itano, C. & Gravel, J. S., 10(2), 62-64
- Evidence in support of a different model of universal newborn hearing loss. Kileny, P. R. & Lesperance, M. M., 10(2), 65-67
- The Hearing Handicap Inventory for the Elderly screening version adapted for use with elderly Chinese American individuals. Jupiter, T. & Palagonia, C. L., 10(2), 99-104
- Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, S. J. Beresford, D. & Bamford, J. M., 3-12, 10 (1)

Subject Index

Hearing

Assessment of Hearing

Acoustic Immittance

- Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis,

Hearing Loss and Deafness

Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, S. J., Beresford, D. & Bamford, J. M., 10 (1) 3-12

Intervention

Habitation, Rehabilitation, and Education

Parents' reactions and recommendations following diagnosis and hearing aid fitting. Sjoblad, S., Harrison, M., Roush, J. & McWilliam, R. A., 10 (1), 24-31

Personal and social conditions potentially influencing women's hearing loss management. Garstecki, D. C. & Erler, S. F., 10(2), 78-90

Practical considerations of real-ear-to-coupler difference measures in infants. Tharpe, A. M., Sladen, D., Huta, H. M. & Rothpletz, A. M., 10 (1), 41-49

Hearing Aids and Other Prostheses

Neurophysiologic basis for cochlear auditory brainstem implants. Müller, 10(2), 68-77

Survey of hearing aid fitting practices for children with multiple impairments. Tharpe, A. M., Fino-Szumski, M. S. & Bess, F. H., 10 (1), 32-40

Verifying loudness perception after hearing aid fitting. 10(2), 91-98

Universal Newborn Hearing Screening

Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, S. J., Beresford, D. & Bamford, J. M., 3-12, 10 (1)

Nature of Hearing and Its Disorders

Auditory and Other Otic Pathologies

Neurophysiologic basis for cochlear auditory brainstem implants. Müller, 10(2), 68-77

Normal Auditory Systems

A longitudinal investigation of infant auditory sensitivity. Tharpe, A. M. & Ashmead, D. H., 10(2), 104-113

Neurophysiologic basis for cochlear auditory brainstem implants. Müller, 10(2), 68-77

Professional and General Scientific Issues

Historical Perspectives

Neonatal Screening

Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, S. J., Beresford, D. & Bamford, J. M., 3-12, 10 (1)

Professional Affairs

Professional Standards and Ethics

Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, S. J., Beresford, D. & Bamford, J. M., 3-12, 10 (1)

Research Issues and Methodology

Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, S. J., Beresford, D. & Bamford, J. M., 3-12, 10 (1)

Service Provision Models and Problems

Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, S. J., Beresford, D. & Bamford, J. M., 3-12, 10 (1)

Service Provision Models and Problems

The evidence for universal newborn hearing screening. Yoshinaga-Itano, C. & Gravel, J. S., 10(2), 62-64

Title Index

A longitudinal investigation of infant auditory sensitivity. Tharpe, A. M. & Ashmead, D. H., 10(2), 104-113

Effects of providing and withholding postfitting fine-tuning adjustments on outcome measures in novice hearing aid users: A pilot study. Cunningham, D. R., Williams, K. J. & Goldsmith, L. J., 10(1) 13-23

Evidence in support of a different model of universal newborn hearing loss identification. Kileny, P. R. & Lesperance, M. M., 10(2), 65-67

Neurophysiologic basis for cochlear auditory brainstem implants. Möller, A. R., 10(2), 68-77

Parents' reactions and recommendations after diagnosis and hearing aid fitting. Sjoblad, S., Harrison, M., Roush, J. & McWilliam, R. A., 10(1) 24-32

Personal and social conditions potentially influencing women's hearing loss management. Garstecki, D. C. & Erler, S. F., 10(2), 78-90

Practical considerations of real-ear-to-coupler difference measures in infants. Tharpe, A. M., Sladen, D., Huta, H. M. & Rothpletz, A. M., 10(1) 41-49

Survey of hearing aid fitting practices for children with multiple impairments. Tharpe, A. M., Fino-Szumski, M. S. & Bess, F. H., 10(1) 32-40

The evidence for universal newborn hearing screening. Yoshinaga-Itano, C. & Gravel, J. S., 10(2), 62-64

The Hearing Handicap Inventory for the Elderly screening version adapted for use with elderly Chinese American individuals.

Jupiter, T. & Palagonia, C. L., 10(2), 99-103

The honor of the "invitation" to participate in the editorial review process: Giving a little bit back. Editorial. Jacobson, G. P., 2, 10(1)

The human auditory brainstem response to high click rates: Aging effects. Burkard, R. F. & Sims, D., 10(2), 53-61

Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, S. J., Beresford, D. & Bamford, J. M. 10(1), 3-12

Universal newborn hearing loss: Screening, identification, intervention. Editorial. Jacobson, G., 10(2), 52

Verifying loudness perception after hearing aid fitting. Cox, R. M. & Gray, G. A., 10(2), 91-98

Department Index

Editorials

The honor of the "invitation" to participate in the editorial review process: Giving a little bit back. Jacobson, G. P., 2, 10 (1)

Universal newborn hearing loss: Screening, identification, intervention. Jacobson, G. P., 10 (2), 52

Face-to-Face

The evidence for universal newborn hearing screening. Yoshinaga-Itano, C. & Gravel, J. S., 10 (2), 62-64

Evidence in support of a different model of universal newborn hearing loss identification. Kileny, P. R. & Lesperance, M. M., 10 (2), 65-67

Perspective

Universal neonatal hearing screening: Past, present, and future. Mencher, G. T., Davis, A. C., DeVoe, Shirley J. & Bamford, J. M., 3-12, 10 (1)

Research and Technology-Articles

Parents' reactions and recommendations after diagnosis and hearing aid fitting. Sjoblad, S., Harrison, M., Roush, J. & McWilliam, R. A., 10 (1), 24-31

Practical considerations of real-ear-to-coupler difference measures in infants. Tharpe, A. M., Sladen, D., Huta, H. M. & Rothpletz, A. M., 10 (1), 41-49

Survey of hearing aid fitting practices for children with multiple impairments. Tharpe, A. M., Fino-Szumski, M. S. & Bess, F. H., 10 (1), 32-40

Research and Technology—Articles

Effects of providing and withholding postfitting fine-tuning adjustments on outcome measures in novice hearing aid users: A pilot study. Cunningham, D. R., Williams, K. J. & Goldsmith, L. J., 10 (1), 13–23

The Hearing Handicap Inventory for the Elderly screening version adapted for use with elderly Chinese American individuals.

Jupiter, T. & Palagonia, C. L., 10 (2), 99–103

A longitudinal investigation of infant auditory sensitivity. Tharpe, A. M. & Ashmead, D. H., 10 (2), 104–113

Personal and social conditions potentially influencing women's hearing loss management. Garstecki, D. C. & Erler, S. F., 10 (2), 78–90

Verifying loudness perception after hearing aid fitting. Cox, R. M. & Gray, G. A., 10 (2), 91–98

Research and Technology—Short Course

Neurophysiologic basis for cochlear and auditory brainstem implants. Møller, A. R., 10 (2), 68–77

Viewpoint

The human auditory brainstem response to high click rates: Aging effects. Burkard, R. F. & Sims, D., 10 (2), 53–61